Contact Name Title - Contact Phone - Contact* Phone - Contact* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Authorized Representative* Phone - Representative* Phone - Representative* Phone - Representative* Product-Env-Stewards @onsemi.com Product-Env-Stewards Product-Env-Stewards @onsemi.com Product-Env-Stewards @onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM UOM Product-Env-Stewards UOM UOM United Stewards UOM UOM United Stewards United Stewards UOM United Stewards UOM United Stewards UOM United Stewards UOM United Stewards United Stewards Uom United Stewards United St	Ma © C inte	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
Company name* Company unique ID Unique ID Authority Response Date* 2023-06-08 Contact Name Contact Name Contact Name Contact Name Contact Env-Stewards Contact Name Contact Product Env-Stewards Contact Name Contact* Product-Env-Stewards Contact Name Contact* Product-Env-Stewards Contact Name Contact* Product-Env-Stewards Contact Name Contact* Product-Env-Stewards Contact* Product-Env-Stewards Contact* Product-Env-Stewards Contact* Product-Env-Stewards Contact* Product-Env-Stewards Contact* Product-Env-Stewards Consemi.com Manufacturing Site Weight* UOM Authority Contact Name Contact* Product-Env-Stewards Consemi.com Namufacturing Site Weight* UOM Authority Contact Name Contact Name Contact* Product-Env-Stewards Consemi.com Namufacturing Site Weight* UOM Authority Contact Name Contact* Product-Env-Stewards Consemi.com Namufacturing Site Weight* UOM Authority Contact Name Contact Name Contact* Product-Env-Stewards Consemi.com Namufacturing Site Weight* UOM Authority Contact Name Conta					e *						als and M	fg Informatio	on			
Semilar First Fi	r Information	n														
Title - Contact Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards	Company name*				Company unique ID			Unique ID Authority					Response Date*			
Product Env-Stewards Authorized Representative* Title - Representative Product Enviro Compliance Product Enviro Compliance Product-Env-Stewards Product-Env-													2023-06-	-08		
Title - Representative Phone - Representative* Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM MOC3010VM 6PW RP TRIAC DIP VDE 2023-06-08 THH 449.722 mg Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Mate Tin (Sn) - annealed CU Alloy NA Product-Env-Stewards©onsemi.com NA Product-Env-Stewards©onsemi.com NA Product-Env-Stewards©onsemi.com NA Namufacturing Site Weight* UOM Hanufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy NA Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Na Seconds 3	lame			Title - Contact				Phone - Contact*					Email - Contact*			
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM MOC3010VM 6PW RP TRIAC DIP VDE 2023-06-08 THH 449.722 mg Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA Deak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Na OC 30 Seconds 3	Product-Env-Stewards				Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
Requester Item Number	Authorized Representative*				Title - Representative			Phone - Representative*				Email - Representative*				
MOC3010VM 6PW RP TRIAC DIP VDE 2023-06-08 THH 449.722 mg Instituting Process Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Product-Env-Stewards				Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Requester Item	n Number	Mfr Item	Number	Mfr Item Name			Effective Date	Vers	ion	Manufactu	ring Site	V	Weight*	UOM	Unit Type
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3			MOC301	0VM	6PW RP TRIAC I	OIP VDE		2023-06-08			ТНН		4	149.722	mg	Each
Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	1			' 1D	A 11	(CTD, 020 MG	T. D. d'	D 1 D	D.	T	14 T	·	T	N. I	CD CL	1
Figure 1m (bh) dimented Co 1moj Mil C C C Seconds C				, , , , , , , , , , , , , , , , , , ,			L Rating		cess Bod	<u> </u>		ime at Peak	1		er of Reflow Cyc	cles
omments	•	- annealed	C	CU Alloy	P	NA .		0		IC.	30		secon	ds 3		
	3															
or more information regarding material composition please refer to page 3	• • • •		•.•	1 6 .												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	0.4	mg	Supplier	Dimethyl Cyclosiloxanes	69430-24-6		0.04	mg
			Supplier	Trimethoxy(methyl)silane (C4H12O3Si)	1185-55-3		0.36	mg
Die	5.13	mg	Supplier	Silicon (Si)	7440-21-3		5.13	mg
Die Attach	0.3	mg	Supplier	Silver (Ag)	7440-22-4		0.225	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.075	mg
Lead Frame	108.322	mg	Supplier	Silver (Ag)	7440-22-4		0.68	mg
			Supplier	Zinc (Zn)	7440-66-6		0.13	mg
			Supplier	Iron (Fe)	7439-89-6		2.48	mg
			Supplier	Copper (Cu)	7440-50-8		105	mg
			Supplier	Phosphorus (P)	7723-14-0		0.032	mg
Mold Compound-White	327.22	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		81.805	mg
			В	Brominated Bisphenol A Diglycidyl Ether	40039-93-8		9.8166	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		44.1747	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		9.8166	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		163.61	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		17.9971	mg
Plating	6.7	mg	Supplier	Tin (Sn)	7440-31-5		6.7	mg
Wire Bond - Au	1.65	mg	Supplier	Gold (Au)	7440-57-5		1.65	mg