IPC ASSOCIATION ELECTRONIC	Material Compo © Copyright 2005. IP S INDUSTRIES® international and Pan-	C, Bannockb	urn, Illinois. A	all rights reserved un	This level	documen parts, the	t is a declaration e	tion of the substancencompasses all lov	es within th wer level m	ne manufactur aterials for w	er listed it	em. Note: i	f the item is an as r has engineering	sembly with lowe responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				ials and Mfg Information				
Supplier	r Information													
Company name* Comp				Company unique ID			Unique ID Authority				Response Date*			
onsemi											2023-06-08			
Contact N	Jame		Title - Contact			Pł	Phone - Contact*				Email - Contact*			
Product-I	Env-Stewards		Product Enviro Compliance			N	NA				Product-Env-Stewards@onsemi.com			
Authorize	ed Representative*		Title - Representative			Pł	Phone - Representative*				Email - Representative*			
Product-I	Env-Stewards		Product Enviro Compliance			N	NA				Product-Env-Stewards@onsemi.com			
	Requester Item Number Mfr Item		Number Mfr Item Name			E	Effective Date Version Manufacturing		uring Site	Weight*		UOM	Unit Type	
		NCP1075	5P100G	HV Switcher for L	Switcher for Low Power offline SMPS		2023-06-08		CNW		4	171.77	mg	Each
Manufa	cturing Proccess Informati	on												,
	Terminal Plating / Grid Array Material T		Cerminal Base Alloy J-STD-020 M		-STD-020 MSL Rati	ng	Peak Process Body Temperati		ture Max	Time at Peak	Temperat	ure Numb	per of Reflow Cyc	eles
	Matte Tin (Sn) - annealed		CU Alloy NA		NA .		0 C		30		seconds 3			
Comments	3													
or more	information regarding material c	omposition j	please refer to	page 3										

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the co	ws of the European Union member states) of the pnce") in excess of the applicable quantity limit iden you believe may apply. If the part is an assemble is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation.	entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl	n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the this and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg
Die Attach	8.92	mg	Supplier	Silver (Ag)	7440-22-4		6.69	mg
			Supplier	Epoxy resins	129915-35-1		2.23	mg
Lead Frame	131.05	mg	Supplier	Silver (Ag)	7440-22-4		0.9173	mg
			Supplier	Zinc (Zn)	7440-66-6		0.2621	mg
			Supplier	Iron (Fe)	7439-89-6		3.4073	mg
			Supplier	Copper (Cu)	7440-50-8		126.4632	mg
Mold Compound-Black	317.53	mg		Epoxy resin	proprietary data		15.8765	mg
			Supplier	Phenolic Resin	Proprietary Data		15.8765	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		6.3506	mg
			Supplier	Carbon Black (C)	1333-86-4		1.5876	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		277.8387	mg
Plating	11.9	mg	Supplier	Tin (Sn)	7440-31-5		11.9	mg
Wire Bond	0.18	mg	Supplier	Palladium (Pd)	7440-05-3		0.0018	mg
			Supplier	Copper (Cu)	7440-50-8		0.1782	mg