PC Web Site for Information on IPC-1752 Standard http://www.jpc.org/IPC-175x	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.						Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			IPC ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES
Company name* Company unique ID Unique ID Authority Response Date* 2023-06-12 Contact Name Contact Name Contact Name Conduct-Env-Stewards Contact Enviro Compliance Contact Env-Stewards Contact Name Contact* Contact* Contact* Contact* Contact* Contact* Contact Env-Stewards Conta	on						IPC Web Site for Information on IPC-1752 Standard Form Type			752-21.1
nsemi ontact Name Title - Contact Product-Env-Stewards Product-Env-Stewards Product-Enviro Compliance Title - Representative Product-Env-Stewards Product-Enviro Compliance Title - Representative Phone - Representative* Phone - Representative* Phone - Representative* Email - Representative* Email - Representative* Product-Env-Stewards Product-Env-Stewards Product-Enviro Compliance NA Product-Env-Stewards@onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Anufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycl Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3									ation	upplier Informa
Product-Env-Stewards Product-E		Response Date*	R	Unique ID Authority			ompany name* Company unique ID			
Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-Steward		2023-06-12	20							nsemi
Title - Representative* Product-Env-Stewards Requester Item Number RASM0365RTU Prospective Product-Env-Stewards Product-Env-Stewards Requester Item Number		Email - Contact*	E	Phone - Contact*			nct	Title - Conta		ontact Name
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM KA5M0365RTU FPS FOR DVDP/STB 2023-06-12 CPA 2528.3484 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA D C 30 Seconds 3	rds@onsemi.com	Product-Env-Stewards@	I	NA			duct-Env-Stewards Product Enviro Compliance			Product-Env-Stewar
Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM KA5M0365RTU FPS FOR DVDP/STB 2023-06-12 CPA 2528.3484 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	ive*	Email - Representative*	E	Phone - Representative*			entative* Title - Representative		uthorized Represent	
KA5M0365RTU FPS FOR DVDP/STB 2023-06-12 CPA 2528.3484 mg Institute	ards@onsemi.com	Product-Env-Stewards@	I	NA			roduct-Env-Stewards Product Enviro Compliance		Product-Env-Steward	
Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	UOM Unit Type	Weight* U	anufacturing Site	Version M	Effective Date		Number Mfr Item Name		Requester Item Number Mfr Ite	
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycl Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds	mg Each	2528.3484 m	PA	С	2023-06-12	ТВ	FPS FOR DVDP/STB	I0365RTU	KA5M	
Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3			M. Ti . D. I.T.	D.I.T.		GETT 000 MGV P. d	All Graph			
Matter III (01) unimented OC May Max	r of Reflow Cycles									
omments		seconds 3	30	<u> </u>		A	NA	CU Alloy	(Sn) - annealed	' ·
										omments
or more information regarding material composition please refer to page 3									31	

RoHS Material Composition Declaration		Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier neuri into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.									
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	astislav Drska	-En							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.19	mg	Supplier	Silicon (Si)	7440-21-3		6.19	mg
Die Attach	1.84	mg	Supplier	Silver (Ag)	7440-22-4		0.0276	mg
			A	Lead (Pb)	7439-92-1	7a	1.7204	mg
			Supplier	Tin (Sn)	7440-31-5		0.092	mg
Lead Frame	1545.11	mg	Supplier	Silver (Ag)	7440-22-4		3.1007	mg
			Supplier	Iron (Fe)	7439-89-6		1.5503	mg
			Supplier	Copper (Cu)	7440-50-8		1539.9956	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4633	mg
Mold Compound-Black	953.4	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4-hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		28.6	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		191.0003	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		23.8	mg
			Supplier	Carbon Black (C)	1333-86-4		9.534	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		700.4656	mg
Plating	21.6	mg	Supplier	Tin (Sn)	7440-31-5		21.6	mg
Wire Bond - Cu	0.2084	mg	Supplier	Palladium (Pd)	7440-05-3		0.0042	mg
			Supplier	Copper (Cu)	7440-50-8		0.2042	mg