ASSOCIATION CONNECTING ASSOCIATION CONNECTING INDUSTRIES International and Pan-A	, Bannockb	urn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	tion of the s encompasse	ubstances es all lowe	within the manufact or level materials for	urer listed which the	item. Note: if manufacturer h	the item is an a has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
upplier Information														
Company name* Compa			ompany unique ID			Unique ID Authority				Respo	Response Date*			
nsemi										2023-0	2023-06-08			
ontact Name	t Name Title - Contact					Phone - Contact*				Email	Email - Contact*			
roduct-Env-Stewards Product Enviro Co			o Compliance		NA			Produ	Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			sentative	tative P		Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Product En			luct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item N		Number Mfr Item Name			Effective Dat	e Version	]	Manufacturing Site		Weight*	UOM	Unit Type	
	FPF1203	F1203LUCX Advanced Load S		Switch		2023-06-08		1	PBB		0.83983946	mg	Each	
Ianufacturing Proccess Information	n													
Terminal Plating / Grid Array Mate	ninal Plating / Grid Array Material Terminal Base Alloy			J-STD-020 MS	MSL Rating Peak Process Body Temperature Max Time at Pe				k Temperature Number of Reflow Cycles					
SnAgCu CU Alloy			1		260		С	30	seco	onds 3				
omments														
vel 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds											
or more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.59625	mg	Supplier	Silicon (Si)	7440-21-3		0.5922	mg		
			Supplier	Aluminum (Al)	7429-90-5		0.004	mg		
Solder Ball	0.243353	mg	Supplier	Silver (Ag)	7440-22-4		0.0097	mg		
			Supplier	Tin (Sn)	7440-31-5		0.2324	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0012	mg		
Under Bump Metal 2.3644I	2.3644E-4	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0002	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)