ASEDCIATION CONNECTING ELECTRONICS INDUSTRIES® MAterial Composition Dec © Copyright 2005. IPC, Bannockt international and Pan-American co	ourn, Illinois, All rights reserved u	nder both This doct level part	ment is a declarations, the declaration en	n of the substance compasses all low	es within the manufacture ver level materials for wh	er listed item. Note: if hich the manufacturer	the item is an as has engineering	sembly with lower responsibility.		
-21.1 IPC Web Site for Information on IPC-1752 Standard Form Type Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information							
Supplier Information										
mpany name* Company unique ID			Unique ID Authority			Response Date*				
nsemi						2023-06-08				
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*				
oduct-Env-Stewards Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product Enviro Con		o Compliance		NA			Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Item	Number Mfr Item Name	Mfr Item Name		Version	Manufacturing Site	Weight*	UOM	Unit Type		
NCP305	LSQ34T1G ANA UNDERVO	OLT DETECT 3.4V	2023-06-08		MY1	7.22	mg	Each		
Manufacturing Proccess Information						·	·			
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-020 MS		Peak Process Body Temperature Max Time at Pea		ture Max Time at Peak	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy 1			260	С	30	seconds 3				
Comments										
evel 1 - maximum time at peak temperature during so	Idering is 10-30 seconds									
For more information regarding material composition	please refer to page 3									

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).								
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges that Company will rely on this certification in determining the complicace of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier row and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.									
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the				
Supplier Digital Signature Ra	stislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg	
Die Attach	0.08	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0256	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0534	mg	
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.001	mg	
Lead Frame	1.31	mg	Supplier	Zinc (Zn)	7440-66-6		0.0013	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0301	mg	
			Supplier	Copper (Cu)	7440-50-8		1.2772	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0013	mg	
Mold Compound-Black	4.49	mg		Epoxy resin	proprietary data		0.211	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.449	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0045	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		3.6144	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.211	mg	
Plating	1.19	mg	Supplier	Tin (Sn)	7440-31-5		1.19	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).